



MATERIAL SAFETY DATA SHEET

Form WI04-11A Rev. 1

Part Number(s):
34-425-11,34-425-12

Product Name: ULTRA THREAD

Release Date: November 2, 2005

1. Product and Company Identification

Trade Name & Synonyms Ultra thread	MSDS Code Number Refer to part number
Chemical Name Polyurethane polyester elastomer	Manufacture / Distributor GAC International Inc.
C.A.S. Number 26375-23-5	Address 355 Knickerbocker Ave. Bohemia, NY USA 11716
Grades or Minor Variant Identities NA	Information Telephone Number 1-631-419-1700
Product Use (for Canada) NA	Emergency Telephone Number 1-631-419-1700

2. Composition of Ingredients

Hazardous Components	C.A.S. Number	Exposure Limits	%
Polyurethane from 4,4' methylenediphenyl	26375-23-5	NA	99

3. Hazard Identification

Emergency Overview					
This product has non-hazardous ingredient as defined under the criteria of the federal osha hazard communication standard 29CFR 1910 1200.					
Routes of Exposure	Signs and Symptoms	Single, Repeated, or Lifetime Exposure	Severity (Mild, Moderate, Severe)	Acute and Chronic Health Effect(s)	Target Organ(s)
Eye	Mechanical irritation	NA	NA	Acute eye contact: Mechanical irritation. Chronic eye contact: None	NA
Skin	NA	NA	NA	NA	NA
Inhalation	NA	NA	NA	Acute inhalation: No significant health hazard. Chronic: None	NA
Ingestion	NA	NA	NA	NA	NA
Other	NA	NA	NA	NA	NA
Medical Conditions Aggravated by Exposure None					
Carcinogenicity (IARC, NTP) None					
Potential Environmental Effects NA					

4. First Aid Measures

Routes of Exposure	First Aid Instructions	Immediate Medical Attention	Delayed Effects
Eye	N/A	NA	NA
Skin	N/A	NA	NA
Inhalation	N/A	NA	NA
Ingestion	N/A	NA	NA
Other	NA	NA	NA
Note to Physicians (Treatment, Testing, and Monitoring) NA			



MATERIAL SAFETY DATA SHEET

Form WI04-11A Rev. 1

Part Number(s):
34-425-11,34-425-12

Product Name: ULTRA THREAD

Release Date: November 2, 2005

5. Fire and Explosion Data

Flashpoint & Method: °C / °F N/A	Flammable (Explosive) Limits in Air LEL: N/A UEL: N/A	Autoignition Temperature NA	Other NA
Flame Propagation or Burning NA	Properties Contributing to Fire Intensity NA	Flammability Classification Health-, Flammability-, Reactivity-NA	
Extinguishing Media N/A		Extinguishing Media to Avoid NA	
Protection and Procedures for Firefighters None			
Unusual Fire and Explosion Hazards NA			

6. Accidental Release Measures

Containment Techniques NA
Spill/Leak Clean-Up Procedures and Equipment Remove by mechanical means
Evacuation Procedures NA
Special Instructions NA
Reporting Requirements NA

7. Handling and Storage

Handling Practices and Warnings Shelf life: 2 years
Storage Practices and Warnings (°C / °F). Ambient. Store in sealed bags. Protect from atmospheric moisture.

8. Exposure Control/Personal Protection

Ventilation NA	Other Engineering Controls NA	
Routes of Entry:	Personal Protective Equipment (PPE) for Normal Use:	PPE for Emergencies:
Eye/Face	None	NA
Skin	None	NA
Inhalation	None	NA
General Hygiene Considerations and Work Practices NA		
Protective Measures During Repair and Maintenance of Contaminated Equipment NA		
Other Protective Measures and Equipment None		



MATERIAL SAFETY DATA SHEET

Form WI04-11A Rev. 1

Part Number(s):
34-425-11,34-425-12

Product Name: ULTRA THREAD

Release Date: November 2, 2005

9. Physical and Chemical Characteristics

Appearance Various F.D.A. allowable colors		Odor Odorless
Normal Physical State: <input type="checkbox"/> Liquid <input type="checkbox"/> Gas <input checked="" type="checkbox"/> Solid <input type="checkbox"/> _____ (Other)		Boiling Point °C / °F <u>N/A</u> Melting Point °C / <u>390-440F</u> Freezing Point °C / <u>FNA</u>
Specific Gravity or Density (H₂O=1) 1.2G/CM3	Solubility in Water Insoluble	pH NA
Vapor Pressure (mm Hg @ 20°C) N/A	Vapor Density (AIR= 1) NA	Evaporation Rate (Butyl Acetate = 1) NA
Other Bulk density: Approx. 10.01 LBS/CM3		

10. Stability and Reactivity Data

Incompatibility (Materials to Avoid) None known.		
Hazardous Products Produced During Decomposition By fire; carbon monoxide, carbon dioxide, traces of HCN and MDI		
Hazardous Polymerization? <input type="checkbox"/> May Occur <input checked="" type="checkbox"/> May Not Occur	Conditions to Avoid °C / °F NA	
Stability? <input checked="" type="checkbox"/> Stable <input type="checkbox"/> Unstable	Conditions to Avoid °C / °FNA	

11. Toxicological Information

Toxicity Data, Epidemiology Studies, Carcinogenicity, Neurological Effects, Genetic or Reproductive Effects, or Structure Activity Data Caution: Contact with hot material will cause thermal burns. Toxic gases/fumes are given off during burning or decomposition and may cause allergic skin and respiratory reaction; melted product is flammable and produces intense heat and dense smoke during burning.
--

12. Ecological Information

Toxicity, Environmental Fate, Physical/Chemical Data, or Other Data Supporting Environmental Hazard Statements None

13. Disposal Considerations

Regulations Waste disposal method: In accordance to federal, state or local regulations.
Properties (Physical/Chemical) Affecting Disposal NA

14. Transport Information

Regulated for shipping? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Proper Shipping Name ULTRA THREAD	Packing Group N/A	
Do changes in quantity, packaging, or shipment method change product classification? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		Hazard Class None	Identification Number NA
Other NA			



MATERIAL SAFETY DATA SHEET

Form WI04-11A Rev. 1

Part Number(s):
34-425-11,34-425-12

Product Name: ULTRA THREAD

Release Date: November 2, 2005

15. Regulatory Information

Federal Regulations

SARA TITLE III: Section 302 extremely hazardous substance: None Section 311/312 Hazard categories: None section 313 .Toxic chemicals: None.
RERA STATUS: Non-hazardous.

International Regulations

NA

Other

HMIS RATINGS: Health=0 Flammability=1 Reactivity =0. 0= Minimal. 1=slight. 2= moderate 3= serious 4=severe

16. Other Information

Supplier Number: 31/34

Supplier Release: January 7th, 2003

N/A = not applicable. NA = not available, N/E = not established. N/D = not determined.